

INVISI-MAXX

Applications: Very High Security - Commercial - Extra Large Doors & Screens - Great Visibility & Airflow



INVISI-MAXX SECURITY

arranty^

Double cylinder

2 x kevs

Triple locking as standard Hinged doors Heavy duty self closer^ Bug strip^

Sliding doors Windows

Stacking doors




316T Marine grade SS Mesh 6063 T5 aluminium frame

INVISI-GARD MAXX Designed for Cyclonic regions requiring maximum protection from wind borne debris impacts, Invisi-Maxx can protect your premises in wind speeds up to 356km/h!!!! Using high tensile powder-coated stainless steel


made from .8mm up to 1.2mm wire.

Great for commercial projects, high security applications, large doors or cyclone areas.



The heavy duty frame along with the mesh retention system ensures that the entire screen system acts in concert to dissipate energy. The mesh retention system isolates dissimilar metals while also eliminating the need for screws or fasteners to retain the mesh. This means that the corrosion resistance of the system is not compromised.

Importance Level	Incidence	Wind Speed (m/sec)	Wind Speed (km/h)	Impact Speed (m/s)	Invisi-Maxx Mesh Size* (mm)	Pass
1	V200	72	259.2	31.7	0.8	~
2	V500	80	288	35.2	0.8	>
3	V1000	85	306	37.4	1.2	~
4	V2000	90	324	39.6	1.2	~
5	V10000	99	356.4	43.6	1.2	~



PASS

PASS

PASS

PASS

PASS

PASS



PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY **** AIRFLOW ★★★★★ PRIVACY * VISIBILITY ***

INVISI-GARD Product Testing

Mesh Knife Shear Test - ASS039-2008 Dynamic Impact Test - AS5039-2008 Lock and Hinge Lever test - AS5039-2008 Fire Attenuation - AS1530.4-2005 Swimming Pool Safety - AS1926-2007 Neutral Salt Spray - AS2331.3.1-2006 BAL40 - AS1530.8.1-2007

INVISI-GARD

Applications: High security - Large Doors & Screens - Great Visibility & Airflow



INVISI-GARD SECURITY

Double cylinder


Triple locking as standard Hinged doors Heavy duty self closer^ Bug strip^

Sliding doors Stacking doors Windows



2 x kevs 316T Marine grade SS Mesh 6063 T5 aluminium frame

INVISI-GARD Combining the strength of Marine Grade 316 Stainless Steel with the beauty, and flexibility of aluminium, INVISI-GARD Security Screens offer unparalleled clarity of vision with enhanced security. It also boasts a larger mesh pocket than some other systems and the mesh is fully insulated from the aluminium for greater corrosion resistance. Want maximum security for your home? This is it!







PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW ★★★★★ PRIVACY * VISIBILITY ***

INVISI-GARD Product Testing

Mesh Knife Shear Test - ASS039-2008 Dynamic Impact Test - AS5039-2008 Lock and Hinge Lever test - AS5039-2008 Fire Attenuation - AS1530.4-2005 Swimming Pool Safety - AS1926-2007

PASS PASS

Neutral Salt Spray - AS2331.3.1-2006 BAL40 - AS1530.8.1-2007

PASS

PASS

PASS

*Pricing subject to a site measure, based on standard colour range, no framing included eg subframes and sliding tracks. Pricing based on a 20% deposit with balance on completion. Pricing correct at time of print and may change without notice. Offers not valid with any other offer not available on payment plans. Some colours shown are not standard. ^Applicable to hinged doors. ^^Terms & Conditions apply. Frame close up image for illustration only and may differ slightly.

INVISI-LITE

Applications: Security - Doors & Screens - Great Visibility & Airflow



INVISI-LITE SECURITY

warranty^


Double cylinder

Triple locking as standard Hinged doors Heavy duty self closer^ Bug strip^

Sliding doors Stacking doors Windows

2 x kevs 316T Marine grade SS Mesh 6063 T5 aluminium frame

FRAME SIZE COMPARISON



INVISI-LITE Using the same high quality mesh used in the Invisi-Gard system, Invisi-Lite passes the same residential security standards while INVISI-MAXX being a little more cost effective. It also utilises the similar EGP style system to hold the mesh into the frame so it is perfect for WA.





PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW ★★★★★ PRIVACY * VISIBILITY ***

INVISI-GARD Product Testing

Mesh Knife Shear Test - ASS039-2008 Dynamic Impact Test - AS5039-2008

PASS PASS

Lock and Hinge Lever test - ASS039-2008 Fire Attenuation - AS1530.4-2005

PASS PASS

Swimming Pool Safety - AS1926-2007 Neutral Salt Spray - AS2331.3.1-2006 BAL40 - AS1530.8.1-2007

PASS PASS

PASS

*Pricing subject to a site measure, based on standard colour range, no framing included eg subframes and sliding tracks. Pricing based on a 20% deposit with balance on completion. Pricing correct at time of print and may change without notice. Offers not valid with any other offer. Offer not available on payment plans. Some colours shown are not standard. ^Applicable to hinged doors. ^^Terms & Conditions apply.

ALU-GARD EDGE

Applications: Security - Large Doors & Screens - Moderate Visibility & Airflow - Medium Daytime Privacy



ALU-GARD EDGE SECURITY

varranty^

Double cylinder

Triple locking as standard Hinged doors Heavy duty self closer^ Bug strip^

Sliding doors Stacking doors Windows



2 x kevs Perforated aluminium mesh 6063 T5 aluminium frame

ALU-GARD EDGE is the latest addition to the range, EDGE is a PVC pressure retention system that retains the ALU-GARD perforated aluminium sheet in an extruded aluminium frame. All the benefits of Alu-Gard but in a new frame without the rivets!







PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW ** PRIVACY ** VISIBILITY *

ALU-GARD Product Testing

Mesh Knife Shear Test - AS5039-2008 Dynamic Impact Test - AS5039-2008 Lock and Hinge Lever test - ASS039-2008 PASS PASS PASS

Aluminium sheet Material **Aluminium Frame**

Aluminium 6063-T5 Grade Aluminium

ALU-GARD

Applications: Security - Doors & Screens - Moderate Visibility & Airflow - Medium Daytime Privacy



ALU-GARD SECURITY

Triple locking as standard Hinged doors Sliding doors Stacking doors

Windows

varranty^

2 x kevs Perforated aluminium mesh 6063 T5 aluminium frame

Heavy duty self closer^

Bug strip^

Double cylinder

ALU-GARD is the all-aluminium security screening solution for Australian conditions. Not only does it provide security, clarity of vision and strength, it is also corrosion resistant and looks great. Resistant to knife attack, impact attack and Jemmy attack as tested in the AS5039.







PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW ** PRIVACY ** VISIBILITY *

ALU-GARD Product Testing

Mesh Knife Shear Test - AS5039-2008 Dynamic Impact Test - AS5039-2008 Lock and Hinge Lever test - ASS039-2008 PASS PASS PASS

Aluminium sheet Material **Aluminium Frame**

Aluminium 6063-T5 Grade Aluminium

OUTLOOK RV

Applications: Security - Low Visibility & Airflow - High Daytime Privacy



OUTLOOK RV SECURITY

varranty^

Triple locking as standard Hinged doors Heavy duty self closer^

Bug strip^

Double cylinder


2 x kevs

Aluminium mesh

6063 T5 aluminium frame



Privacy doors in the past required a Grille with Privacy mesh behind it. We now have OUTLOOK RV MESH, this is an expanded aluminium mesh that is manufactured to provide Security, Privacy and Visibility from inside out! Now you can have your front door open securely, privately and allow the breeze to flow through.







PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW ** PRIVACY *** VISIBILITY **

OUT-LOOK Product Testing

Mesh Knife Shear Test - AS5039-2008 Dynamic Impact Test - AS5039-2008 Lock and Hinge Lever test - ASS039-2008 PASS PASS PASS

Aluminium sheet Material Aluminium Frame Expanded aluminium Aluminium 6063-T5 Grade Aluminium

*Pricing subject to a site measure, based on standard colour range, no framing included eg subframes and sliding tracks. Pricing based on a 20% deposit with balance on completion. Pricing correct at time of print and may change without notice. Offers not valid with any other offer. Offer not available on payment plans. Some colours shown are not standard. ^Applicable to hinged doors. ^^Terms & Conditions apply.

CLASSIC GRILLE

Applications: Security - Large Doors & Screens - Good Visibility & Airflow - High Daytime Privacy (with Privacy Mesh)



GRILLE SECURITY

vear warranty^

Triple locking optional Heavy duty self closer^ Bug strip^ Double cylinder

2 x kevs

Hinged doors Sliding doors

Stacking doors Windows



7mm Grille 6063 T5 aluminium frame

The CLASSIC GRILLE has secured homes for many years and will improve the security of your home. Perfectly suited to a wide range of window applications as well as both hinged and sliding doors. CLASSIC GRILLE has a 7mm strand thickness and has been tested to meet the requirements of the Australian Security Door Standard AS5039.







PET-DOORS

SIZES Small 240x190 Medium 305x225 Large 400x260

RATINGS

SECURITY *** AIRFLOW *** PRIVACY **** VISIBILITY ***

CLASSIC GRILLE Product Testing

Pull Test Test - AS5039-2008 Dynamic Impact Test - AS5039-2008

PASS PASS PASS

Lock and Hinge Lever test - AS5039-2008

Aluminium grille Material **Aluminium Frame**

Aluminium 6063-T5 Grade Aluminium

LOCKING SYSTEMS

The locking system, the heart of the security door.

All too often the focus is on the mesh only when the lock is usually the most vulnerable part of the security door. The lock has to allow ease of opening for the owner whilst still being secure. KNA choose to use locks manufactured by ASSA ABLOY, the parent company behind brands such as Lockwood, Whitco, Yale and countless others. ASSA ABLOY is the largest lock company in the world, manufacturing locks used in Prisons, Military, Commercial and Residential applications.

Hinged door - Lockwood 8654



Sliding door - Whitco Leichhardt





WINDOW SCREENS

Keep your windows open securely.

We can install any of our security products to windows, these replace the flywire and create a security barrier allowing you to leave windows open securely at night.

✓ Invisi-Lite

✓ Invisi-Gard

✓ Invisi-Maxx

✓ Alu-Gard

✓ Alu-Gard Edge

✓ Outlook RV

✓ Grille

✓ Invisi-Scape







INVISI-SCAPE

EMERGENCY FIRE ESCAPE SECURITY SCREENS

The new quick and easy "Press to Release" mechanism allows you to get out quickly in the event of an emergency. Simply press the lever to unlock and push open the screen in one smooth and easy motion. The handle now releases the screen after only 20° of movement, aiding in a speedy escape when required.






CHOOSING THE RIGHT SCREEN

Not sure what door or screen is right for you?

We understand that choosing the right product can be daunting with so many options. It is important that you get the right product for the goal you are trying to achieve. These goals can range from airflow to security or privacy to pet proofing.


We created this page to try and help simplify the process of choosing the correct product.

Note: All these products pass the Australian Security Standards AS5039, the security rating of '3' is what we use as the baseline for the standards.



COLOURS





SCREEN TESTING

Rated Security.

Security products in WA are regulated and a true security door or screen must pass certain standards. Below is an overall of the testing required.



Dynamic Impact Test: AS5039-2008 PASS

This Australian Standard test simulates a kick to a security screen door.



This test was introduced after it was found that grilles fitted to security screen doors were subject to impact breakage through kicking of the grille panel. The test is performed with a sand and lead filled bag and weighing around 40kg. At impact the bag imparts 100 joules of energy to the panel being tested. The test is repeated 5 times, simulating repeated kicking as the burglar attempts to break into your home.

The test panel fails the test if the infill material (mesh) comes out of the door or window framing, or if the impact breaches the material in any way. The Australian Standard AS5041 requires security screens and doors to resist five consecutive impacts, each of 100 Joules.

Invisi-Gard easily meets this requirement and can resist in excess of 50 consecutive impacts, each of 100 Joules without failure. Inivisi-Maxx would far exceed even this.



Lock and Hinge Lever Test: AS5039-2008 PASS

The effects of a jemmy attack against a security screen door or window grille are simulated by allowing a standardised narrow-bladed lever (representing a large screw driver) to be inserted against the locking, fastening and hinging points and a turning force (torque) is applied to those points via the lever.

If all the hinges, and/or all the locking and/or all the fastening points tested have failed, then the security screen door or window grille shall have failed. No part of the edge of the security screen door or window grille shall have deflected to the extent that the gap between the security screen door or window grille and the door or window frame is greater than 15cm, perpendicular to the door or window frame after the jemmy test has been completed.



Knife Shear Test: AS5039-2008 PASS

Knife Shear TestThis Australian Standard test simulates a knife attack on the mesh as a burglar tries to cut through the screen. The test aims to recreate the effect of someone attacking your doors with a Stanley knife or similar. During this test, a specially designed machine draws a knife blade along a line down a panel three times. After each draw, the used blade is replaced with a new one. The sample fails if a continuous cut of 15cm or greater is achieved after the third draw. Invisi mesh passes this test in both the warp and fill directions, unlike many imported meshes which only pass in one direction.

Other tests include the Salt Spray Test, Cyclone Testing, Fire Attenuation and Bush Fire Testing.



KNA Security for the last few years have also done their own testing that surpass that required by the standards. This has included kicking, baseball bats, jarrah 4x2's, sledge hammers and axes.

KNA use the standards that are required as a starting point not the benchmark.

Videos of some of these tests can be found on our website.

www.knasecurity.com.au

For total peace of mind when you are not home.











from \$999 .00*

fitted

year warranty^

Upgrade to Pet Sensors only \$99



3 x High Quality Sensors (PIR) Hills R8 control alarm panel LED keypad (Voice Nav Lite)

✓ Metal Enclosure

Anti Tamper Switch

H'Duty 7amp Backup Battery

External Siren & Strobe Internal Siren







from \$1565.00

year warranty^

fitted



5 x High Quality Sensors (PIR) Hills R8 control alarm panel LED keypad (Voice Nav Lite)

Metal Enclosure

Anti Tamper Switch

H'Duty 7amp Backup Battery

External Siren & Internal Siren

Comnay for smart phone













from \$2469.000 **3year** warranty∽

fitted




5 x PIRs, 2xVibration, 2xReed Sensors 🗸 Metal Enclosure

Hills R128 control alarm panel ✓ LCD keypad (Touch Nav)

Anti Tamper Switch

H'Duty 7amp Backup Battery Comnav for smart phone

External Siren & Internal Siren





This is not what you will find in an electronic store. This is better!

4MP IP SYSTEM

HiLook by HIKVISION





from fitted 1year warranty^

IP67 Weather

POE Power over Ethernet

GENUINE HiLook by Hikvision 4mp high performance CMOS 2.8mm lens

▼ True Day/Night OSD menu, DNR, Smart IR V Up to 30m IR distance True WDR

√ 1/3" CMOS

√ 1-16 cameras, up to 6tb

6MP IP SYSTEM

HIKVISION





from \$2455.00* fitted

3year warranty^

IP67

GENUINE branded Hikvision 6mp high performance CMOS

Dual video streams

True Day/Night Supports H.265+/H.265 True WDR

Back light compensation Up to 30m IR distance 1-16 cameras, up to 6tb

8MP IP SYSTEM

HIKVISION





from \$2765.00* fitted

3year warranty~

IP67

GENUINE branded Hikvision 8mp 4K high performance CMOS Dual video streams

True Day/Night Supports H.265+/H.265 True WDR

Back light compensation Up to 30m IR distance 1-16 cameras, up to 6tb



ROLLER SHUTTERS



ROLLER SHUTTERS

Increase Security Control Light

Keep Heat In Or Out

Reduce Energy Consumption

Made in WA

Electric, Manual or Remote

✓ Large Range of Standard Colours

10 year warranty^







WINDOW TINT



WINDOW TINTING

Up to 83% heat rejection 99% UV light rejected

Reduce energy consumption

Insulates and strengthens glass

Privacy

Glare reduction

Dramatically reduces fading of furniture

If you want QUALITY and the LATEST technologies in home window tinting and security film at a great price then give us a call. Our products will perform, give the best heat reduction, privacy, glare reduction and reflection. We do not use cheaper metal based films and will only use Commercial grade protective film, the highest quality Carbon tinting and Ceramic tinting products.

DARK FILM - PRIVACY FILM - MIRROR FILM - FROST FILM






NO INTEREST EVER!*

NO! INTEREST EVER!*

SECURE YOUR HOME SOONER!



HOW DOES NO INTEREST EVER!* REALLY WORK?



One of the great benefits of your payment plan is that you never pay interest on the amount you owe. There are fees to set up and run your account and to process your repayments. These fees are included in your credit and payment schedules. So you know exactly how much you are being charged and, providing you stick to your payment plan, you know exactly how many payments you need to make. So there really is no interest. Ever!*

Why choose KNA?

Ask our clients...

11 Thank you KNA security for your fantastic service. Great communication throughout the whole process which is something I look for in a business. Installer was friendly and professional. Will be recommending you to anyone that asks! Thank you again)

Cheryl Sorensen ★★★★

Friendly, excellent service from KNA Security. Our new front door and double sliding security doors with pet flaps work like a dream and have experienced no issues with their operation. To top it off, competitively priced and prompt communication. More than happy to recommend their team thanks again.

Jasmine Langley ★★★★

Just had our security door installed by KNA security, From start to finish from Rep to receptionist and Trevor who Install the door, nothing but the best service. Great communication great prices and a really friendly team. Highly recommend.

Leanne Wilson ★★★★

Just had double security screens fitted to our front door and to say I am over the moon is an understatement

"nothing was a bother" quoted and fitted with in 3 weeks. Customer Service is 10/10 Thanks to all at KNA Security.

Michelle Shield ★★★★★

Thank you so much to Wayne! We got three security doors installed as well as a security screen on our front window a few years ago. Which we recieved exceptional service right from the first quote and have been so happy with them all. Today I had a problem with a roller on one of my security doors caused by me, but Wayne came out and repaired it anyways I was so very thankful what an amazing company and fantastic service! Cannot recommend KNA highly enough!!!

Anikka Cain ★★★★★





